URBAN DISTRICT COUNCIL OF EAST GRINSTEAD. REPORT OF THE MEDICAL OFFICER OF HEALTH.

To the Chairman and Members of the East Grinstead Urban District Council.

I have the honour to submit my Annual Report for the year 1943.

The Minister of Health has requested that for this year interim reports only should be submitted and should be confined to essential matters which have affected the public health during the year. This procedure has, therefore, been adopted.

The Crude Death Rate is 16.5. as compared with 11.8. for the previous year and with 12.1. for England and Wales. The Infant Mortality Rate is 21.5. which is considerably lower than that for the Country as a whole.

No deaths occurred from Typhoid Fever, Scarlet Fever, Whooping Cough or Diphtheria.

For security reasons the population figures given in this report are not for publication.

DIPHTHERIA IMMUNISATION.

The procedure carried out during the year for the immunisation of children against Diphtheria was as follows:-

An explanatory leaflet with an acceptance form attached was sent to every parent on the child's first Birthday; particulars of births being received from the Registrar. Similar leaflets were issued to Head Teachers of Schools for distribution to parents.

Clinics were arranged at the County Council Clinic, Moat Road, parents who had accepted immunisation being notified of the time of the next Clinic. One General Practitioner attended the Clinics and was paid by the Council on an injection basis, and was assisted at the Clinics by the District Nurse. The prophylactic employed was A.P.T. O.2. c.c. followed four weeks later by O.5.c.

years three injections of 1.0. 6.6. T.A.F. were given.

All parents were given the opportunity of having their children Schick Tested three months after the final injection the same General Practitioner being employed for this particular work.

During the year 231 children were immunised, and 145 Schick Tested. At the end of the year the estimated number of children 1-5 years of age was 749 and the estimated number immunised was 83%. The estimated number of children in the 5-15 years group was 1627 and the estimated number immunised was 82%.

SCABIES.

Scabies is not a compulsorily notifiable disease in this district with a result that full information regarding the extent of the disease is not available to this department.

Information was, however, obtained concerning outpost at various schools and a certain number of cases were also brought to our notice by Medical Practitioners who were until to deal with them in the prevailing circumstances.

the Sick-Bay, Rotherfield, in the Uckfield Rural District, a Civi Defence car being available for transport. Local children and adults were treated at the County Council Clinic, under the school nurse. As an alternative cases were treated as out patients at the High Grove Isolation Hospital.

WATER SUPPLY.

No changes have taken place in the sources of main water supply in the area. Samples of water from these supply are submitted periodically for chemical analysis and bacteriological examination and the results have been consistently satisfactory.

MILK SUPPLY.

The standard adopted is that samples which pass the methylene blue test have counts of under 200,000 bacteria per c.c. and with absence of coliform organisms in 1/100th c.c. are considered to be satisfactory.

During the year 22 samples of milk were submitted for bacteriological examination. Of these 19 were found to be unsatisfactory for the following reasons:-

		r
a)) Coligorm Organisms in less than 1/10 c.c	4.
(d.)	Plate count of over 200,000 bacteria per c.o	1.
c)	Dusatisfactory plate Count and Coliform Organic	inisms.
	in less than 1/10 c.c.	14.
		19.
		<u> </u>

HOUSING.

During the years 1934-1938, 398 houses were inspected, and recorded under the Housing (Comsolidated), Regulations, and of these 17 were found to be in a state as dangerous or injurious to health as to be unfit for human habitation. A Demolition Order was served in respect of one property, while 6 others formed two Clear ance Areas.

Since the beginning of the war very little repair work has been carried out due to the shortage of labour and restriction on materials. It will be obvious, therefore, that housing conditions have deteriorated during the past four years and an intensive drive on housing will be required when conditions permit.

My thanks are due to Mr. W.H. Dunham, Senitary Inspector, for his assistance in compiling this Report.

I have the honour to be, ladies and gentlemen,
Your obedient servant,

W.B. Stott.

Acting Medical Officer of Health.

STATISTICS AND SOCIAL CONDITIONS OF THE AREA.

Arca nonnermonermo	6:597
Registrar General's estimated population	10,280.
Density of population per acro	0,64.
Rateable value, 31st December, 1943	£94,267
Sum represented by la Rate	£ 383
Birth Rate per 1,000 population	18,09
Death Rate per 1,000 Population	16, 5.
Infantile Mortality Rate	21. 5,

CAUSES OF DEATH IN EAST GRINSTEAD URBAY DISTRICT.

	Males.		Females.
l. Corobro-spinal fover 200 200 200 200 Tuberculosis of respiratory systems of Tuberculosis 200 200 200 200 200 200 200 200 200 20	Profits of the second of the s		1. 1.
4. Syphilitic disoase. 200 201 52 Influenza 200 200 200 200 200 200 200 200 200 20	2		1.0 1.0
7. Acute inflorephalitis 8. Cancer of be say and cosoph (mule) uterus (female)	. ₩ 		l.,
9. Cancor of stomach & duodenum 10. Cancor of broast 11. Cancor of all other sites	1 - 8		259
12. Intra, cran, vascalesions , 13. Heart Disease 14. Other diseases of circulatory System	4. 17. 1 2.		I3 + 30 ≠ 3 -
15. Bronchitis	4 -		8; 3; 1,
18. Ulcer of stomach or duodenum 19. Appendicits 20. Other digostive diseases	2 2		1 · 2 · 3
21. Nephritis 22. Premature Birth 23. Con. mal. birth injainfant dis.	1	÷ *	7 , 1 -1
24. Suicide 25. Road traffic accidents 26. Other violent causes	1	\$ "" \$	1 - 23 '*
27 All other causes	8.		108 *
	crist of its Play well-windows th		

BIRTH RATE, CIVILIAN DEATH RATE AND ANNUAL ANALYSIS OF MORTALITY DURING THE YEAR, 1943.

1113	The	1	1				1	
macernal Mortality	Maternal Mortality	East Grinstead Urban District.	Lond on.	(Resident Population 25,000 to 50,000 at 1931 Census).	126 County Boroughs and Great Towns including London.	England and Wales.		
Rates for		18.09.	15.8.	19.4.	18.6.	16.5	Livo Births	Rate per 1,000 Civilian Population
the East		0.97.	0.45.	0.66	0.63.	0.51.	Still Births.	Rate per 1,000 Civilian Population.
	d and Wales	16.5.	15.0	12.7.	14.2	12.1.	All Causos	Ann
'rinstead U	ales are	0.00.	0.00.	0.00	0.00	0.00	Typhoid and Paratyphoid Fevers.	Annual Death
Urban Di	ග හ	0.00.	0.00.	0.00	0.00	0.00.	Scarlet Fever.	th Rate
District	follows:-	0.00.	0.03.	0.03.	0.03.	0.03.	Whooping Cough.	per
arc as	por	0.00.	0.02.	0.04.	0.04.	0.03.	Diphtheria.	200 03
follows:-	l,000 Tota Births	0.19.	0.27.	0.37.	0.36.	0.37.	Influonza.	1,000 Ciwilian Population.
VS	• 1	1	1	. 1 .	1		Smallpox	Popula
N11.	Pubrporal Sepsis 0.59.	0.097	0.02.	0.02.	0.02.	0.02.	Measles.	tion.
N11,	0thers	0.00.	10.4.	4 4 •	7.9.	5.3	Diarrhoea and Enteritis (Under 2 years)	an da an in an
Nil,	1.84,	21.51.	58.	*	58	49.	Total Dearhs Under 1 year.	Rate per 1,000 Liv

PREVALENCE AND CONTROL OVER THECTIOUS AND OTHER DISEASES.

The following cases of Infectious Disease were notified during the year:-

Disease.	Total Cases notified.	Cases acmitted to Hospital.	Teval. Dont he
Scarlet Fever Erysipelas & Cellulitis. Puerperal Pyrexia. Measles. Diphtheria. Opthalmia Neonatorium. Whooping Cough. Pneumonia Cerebro-Spinal Meningitis Facial Erysipelas. Erysipelas Typhoid Bac Dysentary. Influenza & Pneumonia. Cerebro-Spinal Fever.	31, 12, 31, 13, 14, 1, 1, 2,	28 1. 1. 3. 1. 5.	
Totals.	188	41.	30

l.	• •	The second secon			96.0	
CASES OF	INFECTIOUS	DISEASE	IN A	Œ	GROUPS	7

	Under 1 year.	÷	୍ଷ	33.	4.	5.10,	10%15.	15-20.	20-35,	35-45,	45-65	0v. r 65	300
						-					•	-	
				4 3	1. 1.		,	. •					6.0
Scarlet Fever	8-74	.78	ļl	¹ 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	6	18	5		1	-		-	31
Erysipelas & Cellulitis.	-	.674	(-	i		(700	tra-	er.	144	1	The same		I
Puerperal Pyrexia.	-	e sp	. 1500	-	4	Lime			3 [3 :
Measles.	1	2	6	2	7	63	23	1	5	- -,	5		115
Diphtheria.	-		con.	ļ.	1-			1		req.	-		
Opthalmia Neonatorium.	1			-			-	was 4	-	-	75.	-	1
Whooping Cough.	1	1	la.	2	.5	3	-	(m ,	1500	1/46		1	13
Pneumonia.	-	1	·	1.5.	1.2.	-	12	424	4	-	2	4	14
Cerebro-Spinal Meningiti	.s -	in.	<u> </u>	-	-	1 1		ż.		ļ.,	-	1	1 1
Facial Erysipelas.	-	-	£	-	7-	-	m	-	11.		·m	- m	1 1
Erysipelas.				-	-	ļ. ~ .		!- -		-	270)	3	3
Typhoid.	141	1	מיכ		1 (4)	-	-		1	-	-	-	
Bac Dysentary.	-	-1 -1	1447	<u> </u> -	. com	g gars	-	PER I	-		·	300	
Influenza & Pneumonia	J	7	low.	gene ())	\$1000 1	PP1 .	-	me .	and 2		1	17	
(age unknown) 1:			{	1	e A	-		-		1			
Cerebro-Spinal Fever.	-	4.7	Qrs .	1		11	-	**	7 100	-	-		1

TUBERCULOSIS - NEW CASES AND MORTALITY 1943.

	New	Casos.			Deaths.					
Age Poriods.	Respira	tory,	Non- F	on- Resp.		ratpry	Non-Resp.			
	Malo	Femalo	Male	Female.	Male	Female	Male	Fomale		
15- 25.	***	11.	-	-	r tes	-	-	1*		
SANITARY SUPE	RVISION.				anada - mai in articamento forma	,				
" " Lau " " Oth " " " vPet: " in con " "	Publi es other Publi ade to C ehouses ckers Ya ndries er Food roleum & nection " autions	c Health than he c Health owsheds rd Shops Paraff with in Ra	n Acts ouses very Acts partial Milks din Stor cetion sinfest ts and	dsited u lops and states as diseas ations,	nder t			280 84 176; 21 44 37 25 42 25 26 27 26 27 27 27 27 27 27		
	:							1397		
MEAT AND OTHE	R FOODS.									
No formal act	ion has	been ne	cossary	c						
Foodstuffs vo	luntaril	y surre	ndered							
8 tins 28 "' 2 "	· ·	Cor	opped H ened Pe sh Roll	ef		Puncture	ed and	Noul 2,7		

			at the rest and a series mention to the safety		
8 28	tins		Chopped Ham	Punctured	and Moulin
2	tt		Fish Roll	ît	t3 **
11	Ħ	•	Don's Cup come if of	D7	
25	tt		Pork Suasage Meat		
	tt		Soup	Birn or p	in the
7		·	Ficnic Roll	11	II
17	tt		Pork Luncheon Meat	tt ·	tt
8	tt		Steak & Vogetables	tt tt	17
19	tt	,	Braised Boans	ft	tt
4	tt		Jam our	88	£ŧ.
62	tt		Maria -	11	16
	tt		Milk occorono	11	11
2	tt		Carrots	••	••
5 9 2	tt		Tongue	tt	tt
			Ready Moal ,	tt	Ħ.
51	tt		Plums creanagenumeseco	tt	tt
5	tt		Savoury Lunches	tt .	tt
5 8 9	tt.		Prom occosiones	tt.	tt
a	Ħ		Sal mon	tt	"or Tor"
24	tt			tt	nt Ci
	it		Pilchards		
1	11		Beef loaf ,		
1			Meat Roll	Mouldy.	
16	tt		Baked Boans	Blown.	
5	tt	1	Haricot Beans	tt	

	2 Tins	Tomatoes	Blown
	6 11	Green Peas	H .
	1 **	Spaghetti	<i>u</i>
	3 !!	Sardinos	1t
	1 "	Meat & Vegetable Soup	Punctured & Leaky,
	1 :	Herrings	-Punctured
	1	Stoak	Damagod:
	4 8	Vegetables	Punctured
		Goosoberries,	\
	1	Pineapple	Punctured & loaking
	11	Corned Mutton	Mouldy, sour expinctured
	. 3 "	Tang	Punctured
		Brunch	Perforated.
_	- 5 Stone	Lemon Sole	Decomposing
	10½ stone	Skate	
	10 11	Cod Fillets,	18
	± .	Smoked fillets	. 11
		Head less Cod	1
	TI	Codlings	11
	0	Flats	11
	2 11	Herrings	16
		Fillets	Putrifying
	11 "	Sea Bream	il delatifation
		Dog Dream vassess	
	31 lbs:	Buttock	Sour, putrifying
	27 .!!	Gammon & hock bacon	Heated & decomposing
	11를 !!	Boneless Forequarter	Mouldy.
	21bs.5oz.	Middle neck of Hamb	Pyaemic abspess
	10 lbs:	Cowheel	Jellying & decomposing
	72	Chickens,	Decomposing.
	30 lbs.	Porl Sausage Meat	South
	188	Eggs	Broken & Bubria
	64 lbs	Prunes.,,,,,,,	Decomposing, wet +
		* *	mouldy,
	$1\frac{1}{2}$ lbs. $\frac{1}{2}$	Sugar	Contaminated with
			Metal Polish
	1 Pkt.	Bectox	Punctured:
	l Jar	Meat Paste	Damaged
	29 lbs.	Jam	Broken & containing Glass.
	3 lbs.	Cheese	Mouldy.
	1 lb.	Butter	Rancid.
	2½ lbs.	Cheese)	Conteminated with
	2½ lbs.	Butter	Metal Polish
	2 Pkts.	Kellogg's All-Bran.	Damaged by Mice
	40 Ozs.	Mixed Pickles	Rotting.
	56 lbs.	Onions	99
	6 lbs.7 ozs.	Chocolate Peppermint	Crushed.
		Creams.	
	2 pkts.	Lemon Flavouring	Mouldy
		•,	

AIR RAID DAMAGE TO FOODSTUFFS.

(a) Foods accepted as voluntarily surrendered and destroyed unfit for either human consumption or for salvage.

7 lbs. Barley.

7 lbs Sago.

1 bott Pickles.

7 lbs Haricot Beans.

2 pkts. Yorkshire Pudding Mixture

149½ lbs Flour.

3 lbs. Soya Flour.

16 pkts Shreeled Wheat.

2 lbs Fruit Cake.
5 pkts. Gravy Salt.
2 Tins Pork Luncheon Meat.
3 pkts Soup.
2 Tins Pork Luncheon Meat.
5 pts Cheese.
9 Tins Pilchards.
2 tins Salmon.
6 Tins Baked Beans.
2 lbs Sausages.
2 tins Soup.
4 lbs Meat Pie.
16 lbs Rashers.
2 Botts Prepared Mustard.
1 tin Diced Carrots.
2 tin Salad Dressing.

(b) Foods accepted as voluntarily surrendered and returned to the W.M.S.A. at their Horsham Depot.

28 lbs Beef. 2 lbs Spam. 7 lbs Rump. 6 tins Corned Mutton. 6 lbs Brisket. $10^{\frac{1}{2}}$ lbs. Flank. 7 lbs Topside. 11 lbs Pork Loins. 12 lbs Back and Top Ribs.

(c) Irrecoverable

8 tins Corned Mutton. 40 lbs.Pork Loins. 40 lbs. Topside.

(d) Foods accepted as voluntarily surrendered, unfit for normal sale but suitable for immediate use for manufacturing purposes or immediate conversion into meals.

12 cwts. 31 lbs. Sugar

5\frac{3}{4} lbs. Sultanas.

48\frac{3}{4} lbs. Butter.

4\frac{1}{2} lbs Margarine.

2 lbs. Flour.

15 lbs. Fats. (various).

11 Beef Cubes.

12 lbs. Jam (various).

13 tins Beans.

147 tins Salmon.

157 tins Pilchards.

158 tins Boup.

159 tins Mincod Beef.

150 tins Soup.

2 tins Stewed Steak.

150 tins Meat Loaf.

150 tins Skimmed Milk.

151 tins Gooseberries.

152 tins Gooseberries.

153 lbs. Bacon.

154 lbs. Toa.